



Genuine Pump Valve CO., LTD.



6209LLUAC4 Bearing 2D drawings and 3D CAD models

NTN 6209LLUAC4 Single Row Ball Bearings

Bearing No. 6209LLUAC4

Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.401
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C4-Extra Loose
Inch - Metric	Metric
Long Description	45MM Bore; 85MM Outside Diameter; 19MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C4-Extra Loose Internal Clearance; Steel C
Other Features	Deep Groove Polyacrylic Rubber Friction Seal
Category	Single Row Ball Bearing
UNSPSC	31171504



Genuine Pump Valve CO., LTD.

Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	0.897
d	1.772 Inch 45 Millimeter
Inner Race Width	0 Inch 0 Millimeter
D	3.346 Inch 85 Millimeter
Outer Race Width	0.748 Inch 19 Millimeter
bore diameter:	45 mm
precision rating:	ISO Class 0
outside diameter:	85 mm
finish/coating:	Uncoated
overall width:	19 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	19 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	19 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	5200 rpm
internal clearance:	C4
fillet radius:	1.1 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	9200 RPM
dynamic load capacity:	32500 N
series:	62
static load capacity:	20400 N
manufacturer product page:	Click here



Genuine Pump Valve CO., LTD.